



Company Profile 2026



**WELCOME TO DINOTIC ENERGY
YOUR TRUSTED
PETROL, DIESEL, LP GAS
& IP WHOLESALER**

www.dinotic.co.za

*EXPERIENCE THE DIFFERENCE
IN QUALITY & SERVICE WITH OUR
RELIABLE FUEL SOLUTIONS*


Est. 2008



ABOUT US

Dinotic Energy is a South African-based wholesale distribution company established in 2008.

The company specializes in the distribution of various energy sources including Petrol, Diesel, LP Gas, and IP Wholesale. Dinotec Energy has established itself as a trusted supplier of energy products in the South African market, providing reliable and cost-effective solutions to meet the needs of its customers.





VISION

Dinotic Energy aims to be a leading distributor of energy products in South Africa, delivering innovative solutions to meet the evolving needs of our customers while maintaining a commitment to sustainability and social responsibility.

MISSION

Our mission is to provide our customers with high-quality energy products at competitive prices, while ensuring the highest level of service and customer satisfaction. We are committed to building long-term relationships with our customers and suppliers based on trust, reliability, and integrity.



Dinotic Energy has a team of experienced professionals who are dedicated to ensuring the company's success by providing exceptional customer service, maintaining high-quality products, and embracing innovative technologies to improve efficiency and productivity.

The company's goal is to continue to expand its operations and reach new markets while maintaining its commitment to quality and sustainability. Dinotic Energy aims to play a key role in South Africa's energy industry by providing reliable and cost-effective solutions to meet the needs of businesses and consumers across the country.





SERVICES



PETROLEUM

Dinotic Energy has a dedicated and reliable fleet of vehicles that can deliver Petrol in the quantity you need, to a destination that suits you, in an effective, reliable and timeous manner.



DIESEL

A committed and trustworthy fleet of vehicles owned by Dinotic Energy can efficiently, dependably, and promptly supply Diesel in the quantities you require to any location you choose.




LP GAS

LPGas is important for use in industrial, commercial, agricultural, domestical use, horticultural and manufacturing applications. Dinotic Energy has experience with handling LPGas and is a choice supplier of Bulk LPGas with Safety and good quality.



IP

Is the most cost-effective forms of burning fuel, and is used by thousands of South Africans. Used mainly for heating, cooling, and cooking, paraffin can be bought in large volumes can be delivered country-wide.



JET A1

This kerosene-based product has a maximum distillation temperature of 400°F at the 10% recovery point and a final maximum boiling point of 572°F. It meets ASTM Specification D1655 and Military Specifications MIL-T-5624P and MIL-T-83133D (Grades JP-5 and JP-8). Jet A1 is used for commercial and military turbojet aircraft engines.



INDUSTRIAL FUELS

Dinotic Energy supplies fit-for-purpose heating fuels typically used in boilers, kilns and furnaces. These applications can be founded in a myriad of industrial business segments. Often our clients are looking for simple solutions for their equipment where consistent quality fuels coupled to reliable and technical services are most important.



LIGHT BOILER FUELS


Dinotic BF is a special blend used in a special blend of various low-Sulphur refinery components blended to complete with typical OEM recommended boiler and furnace fuels like kerosene and diesel. LBF is extensively used in small boilers, thermal oil heaters and burners where low viscosity is important and no pre-heating for atomization is required.



HFO 150 & 180

Heavy Furnace Fuel HFO is an industry standard fuel that comes in two viscosities and is manufactured at a major oil refinery. Normal applications for HFO are for those that are not sensitive to ash content and it is used in large boilers, kilns and as a start-up fuel in power generation. This fuel must be pre-heated for atomization and combustion and in applications where nozzle-clogging is prevalent.

SERVICES



SOLVENTS

Dinotic Energy sells a wide range of solvents from a number of Oil Chemical suppliers. These solvents are used in the metallurgical industries for liquid extraction of copper and uranium and the formation of degreasing fluids for mining applications.



FLUIDEN 1582

Fluiden 1582 is a wide cut aliphatic solvent used in paints and polishes where a slow drying rate is required. Due to a slower rate of evaporation it offers some advantages over Fluiden 1520 in cleaning a general solvent usage.



FLUDEN 1926

Fluiden 1926 is a high-flash kerosene with characteristics similar to Fluiden 1528 and is used as a replacement for FLuiden1528 in applications where a high flash point is required. Most significantly it is used as a solvent in metallurgical applications such as the liquid/liquid extraction of copper and uranium, and in the formulation of degreasing fluids or mining application. Fluiden 1926 complies with the Chamber of Mines flash point requirements for solvents used underground.



MASIMOSOL 2325

MASIMOSOL 2325 is a wide cut mixture of paraffin, cycloparaffin and aromatics that boils between 220 and 250°C. As a result of its increased boiling range level Masimosol 2325 is considered a high flash, slow-evaporating type of hydrocarbon solvent.



AH1925 SOLVENT

AH1925 is a narrow cut solvent used in a wide range of applications including copper solvent extraction, as a diluent and in industrial polishes. Typical characteristics include high flash point and low aromatics.



OTHER

In addition to its main products, the Dinotic also offers a range of other chemicals:

- Xylene
- White Spirits
- Hydrochloric Acid
- Sulphuric Acid
- Flocculant
- Toluene
- Frother & Guar
- Benzene
- Phosphoric Acid
- Nitric Acid

**MINING
PRODUCTS**

CATALOGUE





POWDER / LIQUID PRODUCTS

Acetic Acid 99.9% – Food	Ferrous Sulphate Heptahydrate
Acetic Acid Glacial 99.9% – Tech	Ferrous Sulphate Monohydrate
Acetone	Formalin 37% / Formaldehyde
Activated Carbon Granular	Formic Acid 85%
Activated Carbon Powder (PAC)	Gluteraldehyde
Algogum L31	Glycerine 99.5% – BP/USP Grade
Aluminium Sulphate 14% Granular	Guar Gum
Aluminium Sulphate 14% Low Iron Granular	Hard Surface Cleaner (HAC / HAB)
Aluminium Sulphate 14% Powder Low Iron	Hexane
Aluminium Sulphate Solution 7–9%	Hydrochloric Acid 30–33% / HCL – Industrial
Ammonia Solution 25% / Ammonium Hydroxide	Hydrogen Peroxide 35% – Bath / Spray / Food
Ammonium B Fluoride	Hydrogen Peroxide 50%
Ammonium Bicarbonate – Food	ISO Propyl Alcohol 85% (IPA 85)
Ammonium Chloride Powder Without Anti Cake	ISO Propyl Alcohol 99% (IPA 99)
Ammonium Chloride Powder With Anti Cake	Keresol 150/200
Ammonium Persulphate	Koalin A
Ammonium Sulphate (AMS)	Kogasin
Ascorbic Acid	Kulubrite 10
Benzalkonium Chloride 50 (BAC50)	Kulubrite 15
Benzalkonium Chloride 80 (BAC80)	Kulubrite 2
Benzine	Kulubrite 200C
Benzoic Acid	Kulubrite 40
Biocide M3-N	Kulubrite 5
Borax Anhydrous	Lactic Acid
Borax Decahydrate Granular	Lauramine Oxide (Libranox) / Empigen OB
Borax Decahydrate Powder	Lime – Brown Hydrated
Borax Pentahydrate	Lime – White Hydrated
Boric Acid Granular	Linseed Oil
Boric Acid Powder	Magnesium Chloride Flakes Heptahydrate
Bromicide Tablets 23kg	Magnesium Chloride Flakes Hexahydrate
C9-11 Fatty Alcohol Ethoxylate 8 MOL (Sinopol 1908)	Magnesium Oxide / MAGOX – 85% / 1MM / 150# / 325# / 200#
Calcium Chloride Flakes 77% – Food	Magnesium Oxide Feed Grade – MAGOX
Calcium Chloride Flakes 77% – Tech	Magnesium Sulphate – Feed
Calcium Chloride Powder 94% – Food	Magnesium Sulphate Heptahydrate
Calcium Chloride Powder 94% – Tech	Maltodextrin 20
Calcium Gluconate Powder – Food	Manganese Sulphate
Calcium Hypochlorite 25kg HTH Brand	Methanol
Calcium Hypochlorite 25kg Import	Methyl Ethyl Ketone (MEK)
Calcium Nitrate Water Soluble	Methyl Isobutyl Ketone (MIBK)
Caprylic Acid	Methylated Spirits (METHS)
Castor Oil	Methylene Chloride
Caustic Soda Flake 99% / Sodium Hydroxide Flake	Mimosa FS
Caustic Soda Lye 45–49% DC / Sodium Hydroxide Lye	Mimosa ME
Caustic Soda Lye 45–49% MBC / Sodium Hydroxide Lye	Mimosa RG
Caustic Soda Pearl / Sodium Hydroxide Pearl	Mimosa WS
Chloride of Lime (Chlor PE)	Mono Ammonium Phosphate (MAP)
Citric Acid Anhydrous	Monoethanolamine 85% (MEA)
Citric Acid Monohydrate	Monoethylene Glycol (MEG)
Cocoamidopropyl Betaine 30% (CAPB 30) / Empigen BSFA	Nansa HS80 (Sulphonic Acid Powder)
Coconut Diethanolamide (CDE)	N-Butyl Acetate
Copper Sulphate Pentahydrate – Feed	Nickel Sulphate
Copper Sulphate Pentahydrate – Tech	Nitric Acid 55–60%
Corn Starch White (IPS)	Nonylphenol Ethoxylate 4 MOL (NP4)
Corn Starch Yellow (IPS)	Nonylphenol Ethoxylate 6 MOL (NP6)
Creside / Triside / HHBTA	Nonylphenol Ethoxylate 9 MOL (NP9)
Cresylic Acid	Normal Propyl Alcohol (NPA)
De-Ionised Water	Oleic Acid 75% – Vegetable
Dextrin White	Optical Brightner
Dextrin Yellow	Orange Oil – Food
Dextrose Monohydrate – Food	Oxalic Acid
D-Limonene / Orange Terpenes – Food	Oxitol BE
EDTA NA4	Paradichlorobenzene (PDB)
Eskatan GLH	Paraffin
Eskatan GLS	Paraformaldehyde Prills
Ethanol 95%	PE TAN FN
Ethanol 95IPA	Perchloroethylene (PERC)
Ethanol 99.9%	Petroleum Jelly
Ethyl Acetate	Phosphoric Acid 85% – Food
Eucalyptus Oil	Phosphoric Acid 85% – Tech
Ferric Chloride Solution 42–44%	Pine Oil 85% Chinese

POWDER / LIQUID PRODUCTS

Pine Oil 85% Oasis	Sodium Hydrosulphide Flakes (NASH)
Poly Aluminium Chloride (PAC PWD)	Sodium Hydrosulphite 88-90%
Polyethylene Glycol 200 (PEG 200)	Sodium Hypochlorite 12-15% (Bleach)
Polyethylene Glycol 400 (PEG 400)	Sodium Laurel Sulphate 28% (SLS28)
Polyethylene Glycol 4000 (PEG 4000)	Sodium Lauryl Ether Sulphate 25% (SLES25)
Polyethylene Glycol 6000 (PEG 6000)	Sodium Lauryl Ether Sulphate 70% (SLES70)
Potassium Carbonate - Feed	Sodium Metabisulphite (SMBS) - Food
Potassium Chloride Granular - Feed	Sodium Metabisulphite (SMBS) - Tech
Potassium Chloride Granular - Food	Sodium Metasilicate Pentahydrate (METS0)
Potassium Chloride Granular Water Soluble	Sodium Molybdate
Potassium Citrate - Food	Sodium Nitrate
Potassium Hydroxide Flake 90% (Potash)	Sodium Nitrite
Potassium Metabisulphite 96%	Sodium Perborate
Potassium Nitrate Water Soluble	Sodium Percarbonate
Potassium Permanganate	Sodium Persulphate 99% - Tech
Potassium Sorbate Granular	Sodium Silica Liquid 2050
Potassium Sulphate Granular	Sodium Silica Liquid 3379
Potassium Citrate (FG)	Sodium Sulphate Anhydrous
Potassium Hydroxide Flake 90% (Potash)	Sodium Sulphide 10 PPM
Potassium Metabisulphite 96%	Sodium Sulphite Anhydrous
Potassium Nitrate Water Soluble	Sodium Thiosulphate
Potassium Permanganate	Sodium Tripolyphosphate (STPP) - Food
Potassium Sorbate Granular	Sodium Tripolyphosphate (STPP) - Tech
Potassium Sulphate Granular	Sodium Xylene Sulphonate 40% (SX40)
Potassium Sulphate Water Soluble	Solvent 45
Primal E	Sorbitol 70%
Propylene Glycol - Tech	Soya Lecithin
Propylene Glycol - USP	Stearic Acid Triple Pressed
Salt Coarse No. 1	Sulphamic Acid
Salt Fine Refined	Sulphonic Acid 96%
Silca 150	Sulphur Granular
Silca 325#	Sulphur Powder
Silicone Emulsion 60%	Sulphuric Acid 96-97%
Silicone Oil 1000	Sulphuric Acid 98%
Silicone Oil 350	Talc Powder 95% (Talcum Powder)
SLES Pearl / Vestol PSC - Pearllising Shampoo Conc	Tall Oil Fatty Acid (TOFA)
Soda Ash Dense / Sodium Carbonate / Washing Soda	Tartaric Acid
Soda Ash Light / Sodium Carbonate / Washing Soda	Tetra Sodium Pyrophosphate (TSPP)
Sodium Acetate Trihydrate (SAT)	Tetranyl
Sodium Acid Pyrophosphate (SAPP)	Tetrapotassium Pyrophosphate (TKPP)
Sodium Benzoate Powder - Food	Thinners - Cleaning
Sodium Bicarbonate - Feed V Reg	Thinners - Lacquer A Grade
Sodium Bicarbonate - Food	Titanium Dioxide
Sodium Bicarbonate - Tech	Toluene
Sodium Bisulphite 37%	Tri Sodium Phosphate Crystals
Sodium Carboxy Methyl Cellulose (CMC)	Trichloroethylene - TRIC
Sodium Chlorite 80% 50kg	Triethanolamine 85% (TEA 85)
Sodium Chlorite Solution 25% 1250kg	Triethylene Glycol (TEG)
Sodium Citrate	Trisol OD
Sodium Diacetate	Urea Granular
Sodium Dichloroisocyanurate 56% (SDIC 56%)	Urea Prills
Sodium Dichloroisocyanurate 60% (SDIC 60%)	Vestacid IP 90
Sodium Dichromate	White Spirits LA
Sodium Dodecyl Benzene Sulphonate 30% (SDBS 30)	Xanthan Gum
Sodium Fluoride	Xylene
Sodium Formate 93-98%	Zinc Chloride 98%
Sodium Gluconate	Zinc Oxide
Sodium Hexameta Phosphate (SHMP) - Tech	Zinc Sulphate Heptahydrate
Dextrin Yellow	Zinc Sulphate Monohydrate
Dextrose Monohydrate - Food	Oxalic Acid
D-Limonene / Orange Terpenes - Food	Oxitol BE
EDTA NA4	Paradichlorobenzine (PDB)
Eskatan GLH	Paraffin
Eskatan GLS	Paraformaldehyde Prills
Ethanol 95%	PE TAN FN
Ethanol 95IPA	Perchloroethylene (PERC)
Ethanol 99.9%	Petroleum Jelly
Ethyl Acetate	Phosphoric Acid 85% - Food
Eucalyptus Oil	Phosphoric Acid 85% - Tech
Ferric Chloride Solution 42-44%	Pine Oil 85% Chinese

POWDER / LIQUID PRODUCTS PACK SIZES (MOQ)

Powder products are typically packed in 25kg bags but 1-ton bulk bags can be supplied.

Liquid products come in the following pack sizes:

- 25LT Polycans
- 200/210LT Blopacs / Metal Drums
- 1000LT IBC's



BULK PRODUCTS (DISCOUNTED PRICES)

Direct loads are the most economical option. Site inspection may be required for tankers.

- Ammonia Solution 25%
- Caustic Soda Lye MBC/DC Grade
- Hydrochloric Acid 30–33%
- Lime White Hydrated
- MEG
- Nitric Acid 55–60%
- Propylene Glycol
- Sulphuric Acid 98%



28–37T road tanker



32–34T Link

SPECIAL BLENDS

We can provide special blends as well as manufacturing the required %, as per customer needs, if it falls within our scope.

- Aluminium Sulphate 7–9%
- Caustic Soda Lye 10–49%
- Hydrochloric Acid 5–33%
- Potassium Hydroxide 5–50%
- Sodium Chlorite 5–31%
- Sodium Metabisulphite 5–40%
- Sulphuric Acid 5–98%
- Urea 5–40%



IMPORTED PRODUCTS

The advantage of booking stock in a container load is that prices are fixed per load, quantities vary. One of the most economical methods is when products are shipped directly to a customer's site. We can repack and palletize products for a minimal fee.

PUMP OVER SERVICE

PE Chem offers a pump-over service at your site from IBC's. Site inspection to be done beforehand. No packaging deposit will apply.

WHY DINOTIC

SOLID WORK ETHIC:

Ensuring honesty and integrity within our company is of paramount importance to us. We firmly believe that fostering positive relationships should be a key priority regardless of the outcome of any business transactions.

SPEED AND RELIABILITY:

The success of a company is heavily reliant on its clients. At Dinotic Energy, we prioritize our clients by striving to effectively meet their unique needs and requirements.

QUALITY PRODUCTS AND SERVICES:

Dinotic Energy exclusively offers gas and petroleum products that have undergone rigorous re-validation processes to ensure their safety and suitability for use in the market.

VALUE FOR MONEY


Our company firmly believes in the concept of a "win-win situation" where success is achieved only when all involved parties benefit from a positive outcome.



PARTNERS



PetroSA



email: your@email.com

Petregaz



APPROVED DISTRIBUTOR OF



TOTALGAZ

ACCREDITATIONS & REGISTRATIONS



mineral resources & energy

Department:
Mineral Resources and Energy
REPUBLIC OF SOUTH AFRICA





South Africa
1st Floor North Wing

25 Minerva Ave,
Glenadrienne,
Sandton
2196

Tel: 010 220 5028
Cell: 071 272 2768
Email: sales@dintic .co.za

Zambia
1st Floor

No 7 Railview,
Twibukishe,
Kitwe,
Zambia.

Tel: 010 220 5028
Cell: 071 272 2768
Email: sales@dintic.co.za

